




Certificate of Analysis

SALSA® MLPA® Probemix P256 FLCN

Catalogue #	P256-025R, P256-050R, P256-100R	
Product name	Probemix P256 FLCN	
LOT	C1-0919	
	25, 50, or 100 reactions.	
Shipping conditions	Dry ice or cooling elements.	
	Store upon arrival between -25°C and -15°C.	
	Expiration date: September 2024, when stored at recommended conditions. This product should not be frozen/thawed more than 25 times.	
Purpose	This product has been developed to determine the DNA copy number of all exons of the human <i>FLCN</i> gene, as well as the presence of the two most common <i>FLCN</i> mutations c.1285delC and c.1285dupC, as described in table 1 and 2 of the product description. This probemix is designed for use only in combination with SALSA MLPA reagent kits, SALSA Binning DNA SD032 and Coffalyser.Net analysis software as described in the MLPA General Protocol.	
Quality control specifications	<ul style="list-style-type: none"> - Sufficient distance between peaks, absence of extra or shoulder peaks, and completeness of hybridisation of each individual probe, as tested on Applied Biosystems and Beckman/SCIEX GeXP sequencers. - Standard deviation of each individual probe ≤ 0.10, when tested on 23 different DNA samples of healthy individuals, extracted by various methods. Note that standard deviation for the mutation specific probes is not determined because healthy individuals are expected to be negative for the mutations. - Each individual probe meets reaction-specific criteria when tested on a single DNA sample under various experimental conditions. - No-DNA controls result in only five major peaks shorter than 121 nucleotides (nt): four Q-fragments at 64, 70, 76 and 82 nt, and one peak in the range of 0-40 nt corresponding to the unused portion of the fluorescent PCR primer. Non-specific peaks longer than 121 nt AND with a height <25% of the median of the four Q-fragments are not expected to affect MLPA reactions when sufficient (50-250 ng) sample DNA is used. 	<p>Test result</p> <p style="text-align: center; font-weight: bold;">PASS</p>

None of the ingredients are derived from humans, animals, or pathogenic bacteria. Based on the concentrations present, none of the ingredients are hazardous as defined by the Hazard Communication Standard. **A Safety Data Sheet (SDS) is not required for these products:** none of the preparations contain dangerous substances (as per Regulation (EC) No 1272/2008 [EU-GHS/CLP] and amendments) at concentrations requiring distribution of an SDS (as per Regulation (EC) No 1272/2008 [EU-GHS/CLP] and 1907/2006 [REACH] and amendments). If spills occur, clean with water and follow appropriate site procedures.

More information: www.mrcholland.com ; www.mrcholland.eu	
	MRC Holland bv; Willem Schoutenstraat 1 1057 DL, Amsterdam, The Netherlands
E-mail	info@mrcholland.com (information & technical questions) order@mrcholland.com (orders)
Phone	+31 888 657 200

Certificate of Analysis

SALSA MLPA Probemix P256-C1 FLCN sample pictures




Figure 1. Capillary electrophoresis pattern from a sample of approximately 50 ng human male control DNA analysed with SALSA MLPA Probemix P256 FLCN (C1-0919). Please note that in healthy samples without the c.1285dupC mutation, the FLCN 195 nt probe will generate a background signal of 5-10% of the median peak height of all reference probes, which indicates absence of the mutation.




Figure 2. Capillary electrophoresis pattern from SALSA Binning DNA SD032-S01 (approximately 50 ng) analysed with SALSA MLPA Probemix P256 FLCN (C1-0919). The location of the c.1285delC and the c.1285dupC mutation-specific probes at 188 nt and 195 nt are indicated.

This lot was certified by MRC Holland on 12 December 2019.

This certificate is a declaration of analysis at the time of the manufacturing process. All assays were run in compliance with manufacturer's instructions for use.

Implemented changes in the COA

Version 02 – 17 August 2021 (6)

- COA restructured and adapted to a new template.

Version 01 – 12 December 2019 (04)

- Not applicable, new document.